



winding deformation of transformers on site.

SC Test of Transformer

Weshine® SC Test of
Transformer,Transformer LV
Short-circuit Impedance
Tester is not provided with
an external voltage regulator
and adopts the primary
connection mode. It begins
the three-phase testing and
calculates impedance error
percentage automatically
when the parameter is
entered and provides
intuitive results. This is a
rapid tester which detects





Weshine® Transformer LV Short-circuit Impedance Testerfor SC Test of Transformer

The automatic transformer low-voltage short-circuit impedance tester has two test power models:

- 1. Internal power supply: The three-phase transformer test can be completed with one wiring without an external voltage regulator. The test is simple and suitable for on-site testing.
- 2. External power supply: apply test power through a voltage regulator, suitable for indoor testing.

Display three-phase voltage, three-phase current, three-phase power, three-phase short-circuit impedance (Zk), three-phase short-circuit reactance (Xk), three-phase



short-circuit inductance (Lk), three-phase short-circuit impedance voltage (Zke), and automatically calculate the transformer Converted to rated temperature, rated current in percent impedance voltage, and percent error from nameplate impedance. It can be used to check the single-phase defects of three-phase transformers.

Weshine® SC Test of Transformer can record the data of three single-phase measurements, and can calculate the impedance voltage and impedance voltage percentage error of the transformer according to the different connections of the transformer. After three single-phase tests are completed, the calculation results of three-phase short-circuit impedance can be displayed. The test results are automatically converted, with frequency correction, temperature conversion, and current conversion to improve the comparability of test data. VS-6309B has no-load and load test functions.

Weshine® SC Test of Transformer Parameter (Specification)

PRODUCT INFORMATION				
Product Name	TRANSFORMER SHORT CIRCUIT IMPEDANCE TESTER			
Voltage Range	15 V ~ 500V	Current Range	0.5 A ~ 50 A	
Functions	Short circuit impedance test, Zero sequence impedance test, load test, no-load test			
Typical Application	High voltage power transformers.			
Weight	9.5 kg	Certificates	CE; EMC; LVD; ISO; IEC;	
Dimensions	405mm*330mm*180mm	Model Number	VS-6309 Series	


SC Test of Transformer Features

- 1. Single-phase impedance, three-phase impedance, zero-sequence impedance (star with neutral point) measurement, no-load test function.
- 2. Two power supply modes: internal power supply and external single-phase voltage regulator.
- 3. The voltage and current test range is wide and the precision is high.
- 4. With a 7.0-inch touch screen, the operation is simple.
- 5. Built-in large-capacity memory, not easy to lose, can save 160 sets of data.
- 6. Built-in high-speed micro thermal printer, which can print test data.
- 7. Built-in high-precision clock, real-time display time.
- 8. With U disk storage function.

Quality Certificates

We always believe that all the success of our company is directly related to the quality of the products we provide. Open Circuit Test of Transformer meet the highest quality requirements specified in ISO9001, ISO14000:14001 guidelines and our strict quality control system.

Weshine Electric Manufacturing Co., Ltd.
Address:Diangu Technology Center, No. 3088, Lekai North Street
Tel:+86-312-3188565
Phone:+86-18731260588
E-mail:sale09@weshinelectric.com







Shipment



For further information on Weshine's Service Solutions, contact our 24/7 online sales representative to get quotes from Weshine.

Contact us

FEEL FREE TO MAKE A PHONE CALL:400 996 1868	OR E-MAIL TO: info@weishengelectric.com	
SALES OFFICE	CONTACT OFFICE	
Weshine Limited 602, Building 3, Diangu	т. 0312 3188565	
Technology Center, No. 3088, Lekai North Street	E. bdweisheng@weishengelectric.com	
W/app: +86 1873 1260 588		
E. info@weishengelectric.com	AFTER-SALES SERVICE	

Weshine Electric Manufacturing Co., Ltd.

Address:Diangu Technology Center, No. 3088, Lekai North Street

Tel:+86-312-3188565 Phone:+86-18731260588

E-mail:sale09@weshinelectric.com



www.weshinelectric.com

sale01@weishengelectric.com	T. +86 157 1252 6062